

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	943	(717/127,128).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 10:51
L2	396	stack near trace	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 10:52
L3	38	L2 and I1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 10:52
L4	24	I3 and @ad < "20030731"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 10:52
S1	99	("7096339" "20040172513" "20050028145" "6243666" "4562723" "4871951" "4881214" "5025434" "4609985" "5283753" "5504694" "4258425" "5555419" "6096089" "6317865" "7017126" "20030226120" "20060067436" "4965800" "4357664" "4414656" "4481582" "4758102" "4766582" "4785184" "4853913" "4870607" "5204153" "5241623" "5267057" "5276440" "5299072" "5325496" "5347359" "5390385" "5463706" "5521829" "5614870" "5625292" "5680583" "5708375" "5835459" "5862316" "5884066" "5936867" "5956454" "6002331" "6014048" "6141388" "6148419").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 08:19
S2	382	stack near trace	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 14:56

EAST Search History

S3	196	debug\$4 adj level\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 08:51
S4	3	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 14:59
S5	15	thread near private near data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 15:00
S6	481	error near trace\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 15:01
S7	1	S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 15:01
S9	1	Clear near Error near Trace	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 15:06
S10	3	set near Error near Trace	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 10:28
S11	457	error near2 (trac\$3 log\$4) near2 function\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 15:09

EAST Search History

S12	2	get near2 error near2 trace\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 15:13
S13	2	sun near2 one near2 message near2 queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 15:27
S14	10585	(function near2 name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 15:28
S15	38730	(file near2 name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 15:28
S16	76616	line near2 number\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 15:28
S17	1761	S14 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 15:29
S18	227	S14 and S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 15:29
S19	24	S14 same S15 same S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 15:29

EAST Search History

S20	1821	define near3 error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 08:19
S21	1303	define near2 error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 08:19
S22	1014	S21 and @ad < "20030731"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 08:20
S23	111	S22 and trace	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 08:20
S24	196	debug\$4 adj level\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 08:51
S25	158	S24 and @ad < "20030731"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 08:51
S26	1	ClearErrorTrace	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 10:02
S27	106910	(API function) with (error trac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 10:29

EAST Search History

S28	46088	(API function) near3 (error trac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 10:33
S29	34125	(API function) near2 (error trac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 10:30
S30	16414	(API function) near (error trac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 10:30
S31	39	(API function) near (error near trac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 10:30
S32	32	S31 and @ad < "20030731"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 10:30
S33	2	(API) near3 (error near trac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 10:35
S34	158	one near message near queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 10:37
S35	2	sun near one near message near queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 10:37

EAST Search History

S36	36	S34 and debug\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 10:38
S37	27	S36 and @ad < "20030731"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 10:41
S38	6	get near error near (trace log file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 10:48
S39	57	debug\$4 with error near (trace log file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 10:48
S40	33	S39 and @ad < "20030731"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 10:48

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

stack trace

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 1,570,000 for **stack trace**. (0.09 seconds)**An Introduction to Java Stack Traces**

You run your final tests and then it happens—you get a Java **stack trace**.

... A Java **stack trace** is a user-friendly snapshot of the threads and monitors in ...

java.sun.com/developer/technicalArticles/Programming/Stacktrace/ - 31k -

[Cached](#) - [Similar pages](#)

Sponsored Links**Crash-proof .NET Apps.**

Add automatic Exception Reporting
With Debugging Information!
www.smartassembly.com

Display the Stack Trace

The **stack trace** is a useful debugging tool that you'll normally take advantage of when an exception has been thrown. It provides information on the ...

www.devx.com/tips/Tip/5570 - 80k - [Cached](#) - [Similar pages](#)

Stack trace - Wikipedia, the free encyclopedia

To get an informative **stack trace** from a debugger, one has to compile the program with debugging information. With gcc, that is done by compiling the ...

en.wikipedia.org/wiki/Stack_trace - 14k - [Cached](#) - [Similar pages](#)

The Sect of Homokaasu - GasGames

Stack Trace stack trace ... Top 10 players of **Stack Trace**. 1. Acmillar, 3 536 280 947, 6. martinm, 1 312 336 510. 2. orc00, 3 514 325 028, 7. ...

homokaasu.org/gasgames/game.gas?23 - [Similar pages](#)

Java call stack - from HTTP upto JDBC as a picture « Incremental ...

I won't paste the actual **stack trace** here (opinions differ about the extent to ... This image of a **stack trace** from http to jdbc is either beautiful or ...

ptrthomas.wordpress.com/2006/06/06/java-call-stack-from-http-upto-jdbc-as-a-picture/ -

69k - [Cached](#) - [Similar pages](#)

Learn Java - Java stack trace - Learn Java

Learn Java with our Pure Java (tm) tutorials. Learn how to create Java applets, applications, servlets, and CGI programs with Pure Java.

www.devdaily.com/java/edu/pj/pj010009/pj010009.shtml - 7k - [Cached](#) - [Similar pages](#)

Processing Stack Trace Data in Java

With the release of Java™ 2 SDK, Standard Edition Version 1.4 you can now write logic into your programs to analyze and make decisions on the basis of ...

www.developer.com/java/article.php/1464821 - 77k - [Cached](#) - [Similar pages](#)

Adobe - ColdFusion TechNote : Debugging thread dumps and server ...

Some use the terms '**stack trace**' and 'thread dump' interchangeably but they are not the same (even though some Sun docs use them interchangeably). ...

www.adobe.com/cfusion/knowledgebase/index.cfm?id=tn_18339 - 59k -

[Cached](#) - [Similar pages](#)

A simple C++ function call stack trace utility - The Code Project ...

How to record your function call **stack** for debug purpose.

www.codeproject.com/useritems/cmtrace.asp - 43k - [Cached](#) - [Similar pages](#)

Devel::StackTrace - Stack trace and stack trace frame objects ...

However, if you create a subclass of Devel::StackTrace it will not be ignored. ... If this

parameter is true, then Devel::StackTrace will not store ...

search.cpan.org/perldoc?Devel%3A%3AStackTrace - 10k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google